

Granville PD

Radar Cuts

Several Radar
Units

01-2019

07-2019

GPD
Radar

01-2019
+


07-19

Division of Criminal Justice Services

PURSUANT TO CPLR 4518 OF RECORDS IN THE REGULAR COURSE OF BUSINESS

Supervisor of Public Safety Programs, Office of Public Safety, New York State Office of Public Safety Services, 80 South Swan Street, Albany, New York 12210, and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS, INC., STALKER DUAL RADAR, serial number 040283, performed on January 09, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.



Digitally signed under
ESRA by Joshua Vinehout
on 1/11/2019 1:10 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS, INC. Model: STALKER DUAL
 Date: January 09, 2019 Serial Number: 040283

I hereby certify that APPLIED CONCEPTS, INC. RADAR, model STALKER DUAL, serial number 040283 // KA17068 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 09, 2019

Serial Number	Frequency	Test Result
FB502023	4160 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4160 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA207744	2612 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2612 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.




Digitally signed under ESRA
 by Michael J. Canary
 on 1/9/2019 12:21 PM

Michael J. Canary
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS, INC.
Model: STALKER DUAL
Serial Number: 040283
Date: January 09, 2019

1. General appearance and condition of this device -----: **OK**
2. Turn system ON -----: **OK**
3. Check visual displays/indicators -----: **OK**
4. System cycles through all modes -----: **OK**
5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



**Division of Criminal
Justice Services**

A handwritten signature in black ink that reads "Michael J. Canary".

Digitally signed under ESRA
by Michael J. Canary
on 1/9/2019 12:21 PM

Michael J. Canary
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS INC, STALKER DUAL RADAR, serial number DC102929, performed on January 09, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 1/11/2019 1:10 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS INC Model: STALKER DUAL
 Date: January 09, 2019 Serial Number: DC102929

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER DUAL, serial number DC102929/ / KC038336 / / KC038319, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 09, 2019

Serial Number	Frequency	Test Result
FB253908	4161 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4161 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA008435	2615 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2615 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA
 by Michael J. Canary
 on 1/9/2019 12:20 PM

Michael J. Canary
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**


Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS INC
Model: STALKER DUAL
Serial Number: DC102929
Date: January 09, 2019

1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK



5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION

A handwritten signature in black ink that reads "Michael J. Canary".

Digitally signed under ESRA
by Michael J. Canary
on 1/9/2019 12:20 PM

Michael J. Canary
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS, STALKER DUAL RADAR, serial number DC082336, performed on January 09, 2019 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 1/11/2019 1:10 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS Model: STALKER DUAL
 Date: January 09, 2019 Serial Number: DC082336

I hereby certify that APPLIED CONCEPTS RADAR, model STALKER DUAL, serial number DC082336 // 051264 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 09, 2019

Serial Number	Frequency	Test Result
FB310998	4157 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4157 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA213999	2616 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2616 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

Joseph Iavarone


Digitally signed under ESRA
 by Joseph Iavarone
 on 1/9/2019 3:49 PM

Joseph Iavarone
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS
Model: STALKER DUAL
Serial Number: DC082336
Date: January 09, 2019

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



Division of Criminal
Justice Services

Joseph Iavarone

Digitally signed under ESRA
by Joseph Iavarone
on 1/9/2019 3:49 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS INC., STALKER PATROL RADAR, serial number EC005400, performed on January 09, 2019 by Office of Public Safety employee Jonathan Mascolo, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 1/11/2019 1:10 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS INC Model: STALKER PATROL
 Date: January 09, 2019 Serial Number: EC005400

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER PATROL, serial number EC005400/ / EB007984 // EB007982, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 09, 2019


Serial Number	Frequency	Test Result
FE014938	2899 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 2899 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
FD012194	1818 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 1818 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA
 by Jonathan Mascolo
 on 1/9/2019 11:53 AM

Jonathan Mascolo
 Highway Safety Equipment Technician
 Office of Public Safety

RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION


Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS INC
Model: STALKER PATROL
Serial Number: EC005400
Date: January 09, 2019

1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK



5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION

A handwritten signature in black ink that reads "Jonathan Mascolo".

Digitally signed under ESRA
by Jonathan Mascolo
on 1/9/2019 11:53 AM

Jonathan Mascolo
Highway Safety Equipment Technician
Office of Public Safety

Radars

GPD


07-2019

Division of Criminal Services

IN ACCORDANCE WITH CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, _____, of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS, INC., STALKER DUAL RADAR, serial number 040283, performed on July 19, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.



Digitally signed under
ESRA by Joshua Vinehout
on 7/22/2019 10:54 AM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS, INC. Model: STALKER DUAL
 Date: July 19, 2019 Serial Number: 040283

I hereby certify that APPLIED CONCEPTS, INC. RADAR, model STALKER DUAL, serial number 040283 // KA17068 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: July 19, 2019

Serial Number	Frequency	Test Result
FB502023	4160 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4160 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA207744	2612 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2612 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.




Digitally signed under ESRA
 by Michael J. Canary
 on 7/19/2019 12:15 PM

Michael J. Canary
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS, INC.
Model: STALKER DUAL
Serial Number: 040283
Date: July 19, 2019

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



Division of Criminal
Justice Services

A handwritten signature in black ink that reads "Michael J. Canary".

Digitally signed under ESRA
by Michael J. Canary
on 7/19/2019 12:15 PM

Michael J. Canary
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, FALCON HR RADAR, serial number FH12626, performed on July 19, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 7/22/2019 10:54 AM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: KUSTOM ELECTRONICS Model: FALCON HR
 Date: July 19, 2019 Serial Number: FH12626

I hereby certify that KUSTOM ELECTRONICS RADAR, model FALCON HR, serial number FH12626// N/A // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	65 MPH	65 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	65 MPH	30 MPH
	35 MPH	

Turning Fork Certification / Date of Certification: July 19, 2019

Serial Number	Frequency	Test Result
40185	4729 HZ	65 MPH

The above stated tuning fork has been tested and found to oscillate at 4729 Hertz. It will cause a calibration signal of 65 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
40194	2540 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 2540 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA
 by Michael J. Canary
 on 7/19/2019 12:20 PM

Michael J. Canary
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Granville Village Police Department
Manufacturer: KUSTOM ELECTRONICS
Model: FALCON HR
Serial Number: FH12626
Date: July 19, 2019


1. General appearance and condition of this device -----: **OK**

2. Turn system ON -----: **OK**

3. Check visual displays/indicators -----: **OK**

4. System cycles through all modes -----: **OK**

5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



Digitally signed under ESRA
by Michael J. Canary
on 7/19/2019 12:20 PM

Michael J. Canary
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS INC, STALKER PATROL RADAR, serial number EC005400, performed on July 19, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 7/22/2019 10:54 AM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS INC Model: STALKER PATROL
 Date: July 19, 2019 Serial Number: EC005400

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER PATROL, serial number EC005400 // EB007984 // EB007982, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: July 19, 2019

Serial Number	Frequency	Test Result
FE014938	2894 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 2894 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
FD012194	1815 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 1815 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.




Digitally signed under ESRA
 by Michael J. Canary
 on 7/19/2019 12:22 PM

Michael J. Canary
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS INC
Model: STALKER PATROL
Serial Number: EC005400
Date: July 19, 2019

- 1. General appearance and condition of this device -----: OK
- 2. Turn system ON -----: OK
- 3. Check visual displays/indicators -----: OK
- 4. System cycles through all modes -----: OK
- 5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



Digitally signed under ESRA
by Michael J. Canary
on 7/19/2019 12:22 PM

Michael J. Canary
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS INC., STALKER DUAL RADAR, serial number DC102929, performed on July 19, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 7/22/2019 10:54 AM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS INC Model: STALKER DUAL
 Date: July 19, 2019 Serial Number: DC102929

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER DUAL, serial number DC102929// KC038336 // KC038319, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: July 19, 2019

Serial Number	Frequency	Test Result
FB253908	4162 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4162 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA0084435	2615 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2615 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.




Digitally signed under ESRA
 by Michael J. Canary
 on 7/19/2019 12:14 PM

Michael J. Canary
 Highway Safety Equipment Technician
 Office of Public Safety

RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS INC
Model: STALKER DUAL
Serial Number: DC102929
Date: July 19, 2019

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



Division of Criminal
Justice Services

A handwritten signature in black ink that reads "Michael J. Canary".

Digitally signed under ESRA
by Michael J. Canary
on 7/19/2019 12:14 PM

Michael J. Canary
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS, STALKER DUAL RADAR, serial number DC082336, performed on July 19, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 7/22/2019 10:54 AM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Granville Village Police Department
 Manufacturer: APPLIED CONCEPTS Model: STALKER DUAL
 Date: July 19, 2019 Serial Number: DC082336

I hereby certify that APPLIED CONCEPTS RADAR, model STALKER DUAL, serial number DC082336 // 051264 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: July 19, 2019

Serial Number	Frequency	Test Result
FB310998	4161 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4161 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA213999	2613 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2613 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.




Digitally signed under ESRA
 by Michael J. Canary
 on 7/19/2019 12:18 PM

Michael J. Canary
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Granville Village Police Department
Manufacturer: APPLIED CONCEPTS
Model: STALKER DUAL
Serial Number: DC082336
Date: July 19, 2019

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



Digitally signed under ESRA
by Michael J. Canary
on 7/19/2019 12:18 PM

Michael J. Canary
Highway Safety Equipment Technician
Office of Public Safety