



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of NAT'L PATENT ANALYTICAL SYS, DATAMASTER DMT breath test instrument, serial number 126706, performed on January 17, 2019 by Office of Public Safety employee Martin Schilling, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/ maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 1/24/2019 12:03 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

**BREATH TEST INSTRUMENT
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department
Manufacturer: NAT'L PATENT ANALYTICAL SYS Model: DATAMASTER DMT
Date: January 17, 2019 Serial Number: 126706

Reference Solution Lot Number: 18371
Reference Solution Standard: 0.10 % at 34.0 degrees centigrade

Test No	Test Result	Simulator Temperature
1	0.096 %	34.00 degrees centigrade
2	0.097 %	34.01 degrees centigrade
3	0.097 %	34.01 degrees centigrade
4	0.096 %	34.01 degrees centigrade

Reference Solution Lot Number: 18161
Reference Solution Standard: 0.08 % at 34.0 degrees centigrade

Test No	Test Result	Simulator Temperature
1	0.080 %	34.01 degrees centigrade
2	0.080 %	34.01 degrees centigrade
3	0.080 %	34.01 degrees centigrade
4	0.080 %	34.01 degrees centigrade

Reference Solution Lot Number: 18280
Reference Solution Standard: 0.180 % at 34.0 degrees centigrade

Test No	Test Result	Simulator Temperature
1	0.180 %	34.01 degrees centigrade
2	0.181 %	34.01 degrees centigrade
3	0.180 %	34.01 degrees centigrade
4	0.180 %	34.01 degrees centigrade

I hereby certify that I have performed any necessary maintenance procedures and calibrated NAT'L PATENT ANALYTICAL SYS breath test instrument model DATAMASTER DMT, serial number 126706, and have determined that it is accurate and reliable for the determination of ethyl alcohol in the blood by analysis of the breath. The instrument's test results are recorded above and this instrument satisfies all limits and standards established by the New York State Commissioner of Health as enumerated in Part 59, Subchapter D of Chapter II, TITLE 10 (Health) of the Official Compilation of Codes, Rules and Regulations of the State of New York, (10 NYCRR Part 59) as amended.

I further certify that I made the entries in these records of inspection/maintenance/calibration at the time that such inspection/maintenance/calibration of the above identified breath test instrument was performed, or within a reasonable time thereafter.

Performed by:



Digitally signed under
ESRA by Martin Schilling
on 1/17/2019 12:44 PM

Martin Schilling
Highway Safety Equipment Technician
Breath Analysis Operator Permit # 45926

Reviewed by:



Digitally signed under
ESRA by Frank Sgarlata
on 1/24/2019 9:57 AM

Frank Sgarlata
Breath Analysis Technical Supervisor

**BREATH TEST INSTRUMENT
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department
Manufacturer: NAT'L PATENT ANALYTICAL SYS
Model: DATAMASTER DMT
Serial Number: 126706
Date: January 17, 2019

- 1. General Appearance and condition of this device -----: OK
- 2. Check controls and indicators -----: OK
- 3. Check breath flow system -----: OK
- 4. Check printer operation -----: OK
- 5. System cycles through all modes -----: OK



6. Record any repairs made to this instrument and list services provided: INSPECTED INSTRUMENT, CHECKED SETUP VOLTAGES PRINT AND REMOTE OPERATION. PERFORMED CALIBRATION/ADJUSTMENT PROCEDURE, RAN SUBJECT, TECHNICIAN AND DIAGNOSTIC TESTS, VERIFIED CALIBRATION

Performed by:

Digitally signed under
ESRA by Martin Schilling
on 1/17/2019 12:44 PM

Martin Schilling
Highway Safety Equipment Technician
Breath Analysis Operator Permit # 45926

Reviewed by:

Digitally signed under
ESRA by Frank Sgarlata
on 1/24/2019 9:57 AM

Frank Sgarlata
Breath Analysis Technical Supervisor



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, **Joshua Vinehout**, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of **APPLIED CONCEPTS, INC., STALKER DUAL RADAR**, serial number 043191, performed on January 17, 2019 by Office of Public Safety employee **Joseph Iavarone**, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 1/24/2019 12:03 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Cambridge Village Police Department
Manufacturer: APPLIED CONCEPTS, INC. **Model:** STALKER DUAL
Date: January 17, 2019 **Serial Number:** 043191

I hereby certify that APPLIED CONCEPTS, INC. RADAR, model STALKER DUAL, serial number 043191 / / 045532 / / N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 17, 2019

Serial Number	Frequency	Test Result
FB240740	4168 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4168 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA131030	2616 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2616 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

Joseph Iavarone

Digitally signed under ESRA
 by Joseph Iavarone
 on 1/17/2019 3:30 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department
Manufacturer: APPLIED CONCEPTS, INC.
Model: STALKER DUAL
Serial Number: 043191
Date: January 17, 2019

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION



Joseph Iavarone

Digitally signed under ESRA
by Joseph Iavarone
on 1/17/2019 3:30 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS, STALKER DUAL RADAR, serial number DC082373, performed on January 17, 2019 by Office of Public Safety employee Jonathan Mascolo, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 1/24/2019 12:03 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department
 Manufacturer: APPLIED CONCEPTS Model: STALKER DUAL
 Date: January 17, 2019 Serial Number: DC082373

I hereby certify that APPLIED CONCEPTS RADAR, model STALKER DUAL, serial number DC082373 // 051268 // 045620, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 17, 2019

Serial Number	Frequency	Test Result
FB504286	4174 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4174 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA202990	2621 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2621 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.




Digitally signed under ESRA
 by Jonathan Mascolo
 on 1/17/2019 12:23 PM

Jonathan Mascolo
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department
Manufacturer: APPLIED CONCEPTS
Model: STALKER DUAL
Serial Number: DC082373
Date: January 17, 2019

- 1. General appearance and condition of this device -----: OK**
- 2. Turn system ON -----: OK**
- 3. Check visual displays/indicators -----: OK**
- 4. System cycles through all modes -----: OK**
- 5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION**



A handwritten signature in black ink that reads "Jonathan Mascolo".

Digitally signed under ESRA
by Jonathan Mascolo
on 1/17/2019 12:23 PM

Jonathan Mascolo
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, **Joshua Vinehout**, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of **APPLIED CONCEPTS INC, STALKER PATROL RADAR**, serial number **EC006438**, performed on **January 17, 2019** by Office of Public Safety employee **Joseph Iavarone**, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 1/24/2019 12:03 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department
 Manufacturer: APPLIED CONCEPTS INC Model: STALKER PATROL
 Date: January 17, 2019 Serial Number: EC006438

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER PATROL, serial number EC006438 // EB009990 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 17, 2019

Serial Number	Frequency	Test Result
FE016746	2897 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 2897 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
FD013540	1818 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 1818 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

Joseph Iavarone

Digitally signed under ESRA
 by Joseph Iavarone
 on 1/17/2019 3:25 PM

**Joseph Iavarone
 Highway Safety Equipment Technician
 Office of Public Safety**

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department
Manufacturer: APPLIED CONCEPTS INC
Model: STALKER PATROL
Serial Number: EC006438
Date: January 17, 2019

1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK

**5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION**



**Division of Criminal
Justice Services**

Joe Iavarone

Digitally signed under ESRA
by Joseph Iavarone
on 1/17/2019 3:25 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety